
Double 50

Double-sided textile frame

- NF-04515 / NF-04510
- NF-21515 / NF-21510
- NF-56515 / NF-56510
- Any colour possible

Specifications

- → 50 mm
- 1.039 kilos/meter
- 6150 mm
- Unlit






About the Double 50

A sturdy, double-sided profile that can be wall-mounted, freestanding, or suspended. This profile is often used in combination with acoustic material.

The advantages

- ✓ Sturdy profile
- ✓ Available with acoustic material
- ✓ Suitable for large formats
- Combine open and closed together





Double 50 Double-sided textile frame

Mounting



Wall-mounted

Wall mounted frames with just one textile.



Freestanding

Freestanding frame with a textile on both sides.



Attached to the ceiling

Frames suspended from the ceiling. Both horizintal as well as vertical suspension is possible.

Finish



Open

The outer groove facilitates the usage of accessories.



Closed

An even finish. If desired, holes can be drilled in the profile so that accessories can be attached.

Stabilizers



Stabilizers

In order to guarantee the stability of the frame, stabilizers must be placed in the frame. This way the construction is sturdy.

Recommended accessories

Wall mounts



Wall mount 50 FK-0443

Baseplates



Baseplate simple FK-0100



Baseplate slim FK-0105



Baseplate slim refined FK-0107



Baseplate heavy FK-0110

Ceiling mounts



Ceiling mount FK-0360



Suspension cable FK-7900

Connectors



Frame connector 150 degrees FK-0615



Frame connector 135 degrees FK-0620



Frame connector 90 degrees FK-0630



Frame connector 180 degrees FK-0640

Akoestiek



Basotect® FK-8950



Therm Acoustic FK-8930

Locksets



Lockset heavy FK-0200



Lockset heavy short FK-0205



Flexible lockset FK-0430



Lockset stabilizer FK-0220

Extension sets



Extension set heavy FK-0500



Extension set aluminium keeper FK-0532

Stabilizers



Stabilizer 43 NF-04438

Led-componenten



Led spot AF99-310